

A close-up photograph of a shell-and-tube heat exchanger. The image shows a series of parallel metal tubes, each with a U-shaped bend. The tubes are arranged in a dense, curved pattern. A single tube in the foreground is in sharp focus, showing a hexagonal nut and a threaded section. The background is dark and blurred, emphasizing the metallic texture and industrial nature of the component.

# Shell-and-tube heat exchangers


Product range



# Bring thermal expertise on board

## Alfa Laval Aalborg shell-and-tube heat exchangers

Alfa Laval Aalborg shell-and-tube heat exchangers are an ideal choice for many marine needs. In applications from oil preheating to tank cleaning, they deliver efficiency and reliability with a small footprint.



### Flexible, cost-effective solutions

Marine customer requirements are the starting point for all Aalborg shell-and-tube heat exchangers. The resulting solutions combine a custom fit with off-the-shelf delivery times and prices. You can count on:

- Compact design
- Ease of installation and use
- High thermal efficiency
- Reliable performance


### Made for marine applications

Thoroughly tested and proven at sea, Aalborg shell-and-tube heat exchangers are trusted by shipyards and owners in applications such as:


- Cargo heating
- Tank cleaning
- Fuel oil and lubrication oil heating and purifying
- Engine cooling/preheating
- Fresh water heating
- Steam generation
- Dump condensing / drain cooling

### Always at your service


You can be sure of our fast and thorough support, from specifying your equipment to rapid delivery and a smooth start-up. Our team will remain at your side through many years of operation, ensured by Alfa Laval's global service network.



	<b>Aalborg EH</b>	<b>Aalborg EHM</b>	<b>Aalborg EH-U</b>	<b>Aalborg EH-S</b>	<b>Aalborg EH-W</b>
<b>Type</b>	Electric flow-through, outflow or immersion heater with ceramic elements	Electric flow-through heater with aluminium elements	Electric heater unit with control cabinet and pump	Electric heater unit with pump and stainless steel elements	Electric flow-through, outflow or immersion heater with stainless steel elements
<b>Application</b>	Heating of oil and other viscous fluids	Heating of oil and other viscous fluids	Heating of jacket water for diesel engines	Heating of boiler feed water	Heating of water and non-viscous fluids
<b>Capacity</b>	5–235 kW	7–72 kW	15–270 kW	270 kW	15–486 kW
<b>Materials</b>	Carbon steel (other materials on request)	Carbon steel	Carbon steel with wetted parts in stainless steel	Carbon steel with wetted parts in stainless steel	Carbon steel (other materials on request)
<b>Design pressure /temperature</b>	16 bar(g)/160°C	16 bar(g)/150°C	10 bar(g)/95°C	16 bar(g)/204°C	10 bar(g)/95°C
<b>Installation</b>	Horizontal or vertical	Vertical	Horizontal	Horizontal	Horizontal or vertical
<b>Size</b>	Ø270 x L900 to Ø510 x L2500 mm	H 890 x L366 x W185 to H895 x L460 x W344 mm	Ø270 x L1200 to Ø440 x L2000 mm	Ø510 x L2400 mm	Ø270 x L1300 to Ø510 x L2000 mm



	<b>Aalborg MX</b>	<b>Aalborg MC</b>	<b>Aalborg MD-T</b>	<b>Aalborg MP-C</b>
<b>Type</b>	Heat exchanger with U-tubes	Heat exchanger with U-tubes	Seawater heating by means of steam	Heat exchanger with U-tubes
<b>Application</b>	Heating/cooling of oil or other fluids by means of steam or thermal oil	Steam dumping / condensate cooling / cooling of oil or other fluids by means of water, thermal oil or seawater	Steam heater for seawater heating	Heating/cooling of aggressive fluids, e.g. in chemical applications
<b>Capacity</b>	10–5000 kW	Steam dumping 400–5000 kg/h	Seawater flow 180–380 m³/h	300–2000 kW
<b>Materials</b>	Carbon steel (other materials on request)	Cu/Ni 90/10 alloy or similar for aggressive fluids in tubes, other parts in carbon steel	Cu/Ni 70/30 alloy or similar for aggressive fluids in tubes, other parts in carbon steel	Stainless steel
<b>Design pressure /temperature</b>	12 bar(g)/300°C 16 bar(g)/160°C 32 bar(g)/195°C	13 bar(g)/300°C	16 bar(g)/204°C	14 bar(g)/100°C
<b>Installation</b>	Horizontal or vertical	Horizontal or vertical	Horizontal	Horizontal or vertical
<b>Size</b>	Ø100 x L600 to Ø500 x L3000 mm	Ø150 x L600 to Ø500 x L3000 mm	Ø400 x L1000 to Ø500 x L3000 mm	Ø150 x L600 to Ø500 x L3000 mm







#### **This is Alfa Laval**

Alfa Laval is active in the areas of Energy, Marine, and Food & Water, offering its expertise, products, and service to a wide range of industries in some 100 countries. The company is committed to optimizing processes, creating responsible growth, and driving progress – always going the extra mile to support customers in achieving their business goals and sustainability targets.

Alfa Laval's innovative technologies are dedicated to purifying, refining, and reusing materials, promoting more responsible use of natural resources. They contribute to improved energy efficiency and heat recovery, better water treatment, and reduced emissions. Thereby, Alfa Laval is not only accelerating success for its customers, but also for people and the planet. Making the world better, every day. It's all about *Advancing better™*.

#### **How to contact Alfa Laval**

Contact details for all countries are continually updated on our web site. Please visit [www.alfalaval.com](http://www.alfalaval.com) to access the information.

