

4000014774

P-6035/10

Headset with 10-meter Cable



- 10-meter cable
- Low smoke and halogen free cable
- Rugged headset for Industrial environments
- ON/OFF Switch
- Excellent noise performance
- High attenuating ear shells
- CENELEC safety standards: EN 60079-0: 2012 + A11: 2013 & EN 60079-11: 2012
- IEC safety standards: IEC 60079-0: 2011, IEC 60079-11: 2011

DESCRIPTION

The P-6035/10 is a hearing protective headset for use together with Intercom Systems in noisy environments. P-6035/10 is equipped with high attenuating shells with optimized acoustic design and excellent space for the ears for the best possible sound quality and comfort.

The P-6035/10 comes with a quick positioning noise-cancelling boom microphone.

Created: 11.12.2019, updated: 16.06.2021

page 1/3

www.zenitel.com


info@zenitel.com

SPECIFICATIONS

MECHANICAL

4000017147	P-6035/15 Headset With 15m Cable
ORDER NUMBER	DESCRIPTION
Attenuation Rating (SNR)	29 dB
Attenuation Rating (HML)	H=31dB / M=26dB / L=20dB
Ingress Protection Rating	IP-54
Humidity	<90% humidity, -20-+50°C
Temperature	-30°C to +60°C
ENVIRONMENTAL	
Earphone	150Ω+/-15%, 124dB+/-3dB, 600-1200Hz
Microphone	Dynamic, Noise Cancelling, -57+/-3dB (0dB=1V/pa 1 kHz), nom 230Ω. Frequency response: 50Hz-6KHz, 27 mm diameter.
Termination	Flying leads
ELECTRICAL	
Cable	10-meter flexible durable cable
Weight	339 g without cable, 375 g with cable
Dimensions (HxD)	Approximately 230x125 mm

TECHNICAL DIMENSIONS



Created: 11.12.2019, updated: 16.06.2021

page 2/3







HYGIENE KIT FOR HEADSET

Item Number: AK6501

SPARE BOOM MICROPHONE FOR HEADSET

Item Number: AK6070

HEADSET STOWAGE BRACKET

Item Number: 3006090494



THROAT MICROPHONE FOR NON-EX A-KABEL HEADSETS

Item Number: 3006090490

USED WITH



4000200600 P-7212

Industrial VoIP Telephone



4000200500 P-6212

Industrial Telephone

Created: 11.12.2019, updated: 16.06.2021

page 3/3